

# 1 Hierarkisk struktur

## 2 Nivå 1

### 2.1 Nivå 2

#### 2.1.1 Nivå 3

##### 2.1.1.1 Nivå 4

##### 2.1.1.1.1 Nivå 5

En paragraf som innehåller **fet text**, *kursiv text*, understruken text, ~~genomstruken text~~, <sup>upphöjt</sup> text, <sub>nedsänkt</sub> text, och... Inget mer.

Tabell		
Kolumn A	Kolumn B	Kolumn C
1	2	3

List

- Föremål 1
- Föremål 2
- Föremål 3

Bild



# 3 Resultat

The image displays three panels of XML tag trees, likely generated from a document's structure. The left panel, titled 'Taggar', shows a hierarchical structure starting with a root <Document> tag. It contains several <H1> tags, with the first one having a child <Span> containing '1'. Below this is another <H1> tag with a child <Span> containing 'Hierarkisk struktur'. This is followed by another <H1> tag with a child <Span> containing '2'. Below this is an <H2> tag with a child <Span> containing '2.1', followed by an <H3> tag with a child <Span> containing '2.1.1', and an <H4> tag with a child <Span> containing '2.1.1.1'. The structure continues with an <H5> tag with a child <Span> containing '2.1.1.1.1', followed by several <Standard> tags and <Span> tags containing 'En paragraf som innehåller', 'fet', 'text', 'kursiv', 'text', 'understruken Sökväg', and 'text'. The middle panel shows a table structure starting with a <Table> tag. It contains a <TR> tag with a <TD> tag containing 'text, och... Inget mer.'. Below this is another <TR> tag with a <TD> tag containing 'text, genomstrukenSökväg'. This is followed by another <TR> tag with a <TD> tag containing 'text, upphöjt'. Below this is another <TR> tag with a <TD> tag containing 'text, nedsänkt'. Below this is another <TR> tag with a <TD> tag containing 'text, och... Inget mer.'. The structure continues with a <Table> tag containing a <TR> tag with a <TD> tag containing 'Tabell'. Below this is another <TR> tag with a <TD> tag containing 'Kolumn A'. Below this is another <TR> tag with a <TD> tag containing 'Kolumn B'. Below this is another <TR> tag with a <TD> tag containing 'Kolumn C'. The right panel shows a table of contents structure starting with a <Table Contents> tag. It contains a <Table Contents> tag with a child <Span> containing '2'. Below this is another <Table Contents> tag with a child <Span> containing '3'. Below this is another <Table Contents> tag with a child <Span> containing '3'. The structure continues with several <Standard> tags and <Span> tags containing 'List', 'Föremål 1', 'Föremål 2', and 'Föremål 3'. Below this is another <Table Contents> tag with a child <Span> containing 'Bild'. Below this is another <Table Contents> tag with a child <Span> containing 'XObject: Bild b:640 h:426'. Below this is another <Table Contents> tag with a child <Span> containing '1'. Below this is another <Table Contents> tag with a child <Span> containing '1'.