



Author <i>Benjamin Yousefi</i>	Department UEF	Phone +46 (0) 10 476 72 98	Date 2016-06-29	Version 0.x	Page 1 (1)
TESTFILE <i>Text Rendering Mode 3</i>		Note LibreOffice (Linux/Ubuntu) Version: 5.0.0.5 Build ID: 437e4abdf9e72fd0a6e6f8697a0e659bc77f9b10 Locale: sv-SE (en_US.UTF-8) ----- Adobe Acrobat X 10.1.16 (Windows 7)			

LibreOffice	Adobe Acrobat X
<ul style="list-style-type: none"> <li>Created base document (ODT).</li> <li>Converted to PDF/A-1a.<sup>1</sup></li> </ul>	<ul style="list-style-type: none"> <li>Render font in mode 3, and do not embed font.</li> <li>Saved as PDF.</li> <li>Converted to PDF/A-1ba, -2bua, <del>-3bua</del>.<sup>2</sup></li> </ul>

PDF/A	Conformance level	Expected outcome
1	<i>b</i>	PASS
	<i>a</i>	PASS
2	<i>b</i>	FAIL
	<i>u</i>	FAIL
	<i>a</i>	FAIL
3	<i>b</i>	FAIL
	<i>u</i>	FAIL
	<i>a</i>	FAIL

## Use the font Verdana for the invisible text.

In Acrobat: edit text object: de-select include font.

## Invisible text begin

## Invisible text end

<sup>1</sup> Validates as PDF/A-1a in Adobe Acrobat X 10.1.16 (Windows 7).

<sup>2</sup> No support for PDF/A-3bua in Adobe Acrobat X 10.1.16 (Windows 7).